

GOLD fren[®]



Mountain bikes



**Disc Brake Pads
2020**

Sintered MTB Brake Pads with high braking effectivity temperature stability 800° C

GF-803

AD DS SW33



Magura Louise-2003/Clara 2000

22,6 × 33,35 × 3,9

GF-804

AD DS SW33



Magura Clara 2001/Louise- fr

43,1 × 24,9 × 4

GF-807

AD DS SW33




Shimano XT
Hydraulic Caliper
& Grimeca System

37 × 25,2 × 3,6

GF-808

AD DS SW33




Hayes (Mechanical & Hydraulic)

A/B: 31,9 × 32,5 × 3,9

GF-809

AD DS SW33



A+B Grimeca Hydraulic Caliper
A+B Grimeca Mechanical Caliper

A: 29 × 40 × 3,9
B: 35,1 × 31,5 × 3,9

GF-810

AD DS SW33




Tektro Gemini/Novela

25,4 × 37,3 × 3,9

GF-811

AD DS SW33




Magura Gustav M 2004

A/B: 70 × 25,4 × 3,5

GF-813

AD DS SW33



Shimano Deore/BR-M5 15 Mechanical
M475/C601, 501 BR 525 - Hydraulic
Shimano BR-M445/446

30,75 × 35,1 × 3,9

GF-814

AD DS SW33



RST Mechanical Caliper

24,8 × 37,22 × 4

GF-815

AD DS SW33




Cannondale (Coda) Caliper

30,6 × 30,6 × 4

GF-816

AD DS SW33




Shimano Deore/BR-901C
Naxave BR-M555 Hydraulic

A/B: 29,1 × 26,18 × 4

GF-818

AD DS SW33




Magura Julie

47,1 × 28,85 × 4

GF-819

AD DS SW33




Formula B4 Hydraulic

A/B: 43,19 × 25 × 3,9

GF-820

AD DS SW33




Magura Marta, Marta SL

A/B: 38,8 × 21,32 × 3,9

Sintered MTB Brake Pads with high braking effectivity temperature stability 800° C

GF-822

AD DS SW33



Shimano XTR BR-M965/M966
XT M765 LX-BR585, Hone M601
Shimano Deore XT BR-M775

A/B: 34,3 × 26,74 × 3,9

GF-823

AD DS SW33




Hope Mini

26,7 × 31,15 × 3,9

GF-824

AD DS SW33



Giant MPH 2001 - 2005

A/B: 25,2 × 31,15 × 3,9

GF-825

AD DS SW33




1 set = 4 pcs

Hope M4

19,95 × 27,8 × 4,3

GF-827

AD DS SW33



Hope Mono 6ti

43,5 × 26,35 × 3,8

GF-828

AD DS SW33



Hope Mono Mini

29,9 × 27,64 × 3,8

GF-829

AD DS SW33




Hayes El Camino

A/B: 26,5 × 32,45 × 3,8

GF-830

AD DS SW33




Diatech Anchor/Armor

A/B: 31,9 × 40,5 × 3,9

GF-831

AD DS SW33



Hope 2 piston

25,2 × 31,15 × 4

GF-832

AD DS SW33




Hayes MX 2/Sole

20,5 × 28,55 × 4

GF-833

AD DS SW33



Promax Mechanical

A: 24,9 × 34,4 × 5,4
B: 24,9 × 34,4 × 3,9

GF-834

AD DS SW33



Formula Oro Hydraulic

27 × 34 × 3,9

GF-835

AD DS SW33




Avid BB5 Mechanical

∅ 23,8 × 37 × 3,9

GF-836

AD DS SW33




Avid mech. BB7 juicy
5 - 7 Hydraulic

A/B: 31,9 × 35,15 × 4

Sintered MTB Brake Pads with high braking effectivity temperature stability 800° C

GF-837

AD DS SW33




Avid Code 4-piston

41,1 × 34,9 × 4

GF-838

AD DS SW33




Hayes Ryde

A/B: 26,95 × 27,22 × 4

GF-839

AD DS SW33




Hayes Stroker Trail

A/B: 31,8 × 27,7 × 4

GF-840

AD DS SW33



Magura Louise 2007

A/B: 41,2 × 25,95 × 3,9

GF-841

AD DS SW33




Formula Mag & The One

28,1 × 33,37 × 4

GF-842

AD DS SW33




Hope Moto V2

26,95 × 36,1 × 4

GF-843

AD DS SW33




Avid Elixir

29,8 × 34,3 × 3,9

GF-844

AD DS SW33




Hayes Stroker Ace

A/B: 40,45 × 23,85 × 3,9

GF-846

AD DS SW33




Shimano Saint 2009

39,4 × 24,45 × 3,9

GF-847

AD DS SW33



Avid Code - R

40,8 × 28,3 × 3,9

GF-848

AD DS SW33



Shimano XTR 2011
Shimano M985

32,3 × 29,7 × 3,9

GF-849

AD DS SW33



SR Suntour Hydraulic

23 × 28,2 × 4

GF-850

AD DS SW33




Magura 2011
MT2/ MT4/ MT6/ MT8

29,8 × 33,8 × 3,9

GF-851













AD DS SW33



Hope Mono Trail

27 × 34,5 × 3,9

Sintered MTB Brake Pads with high braking effectivity temperature stability 800° C

<p>GF-852</p> <p>AD DS SW33</p>  <p>Hayes Prime</p> <p>31,85 × 34,1 × 4</p>	<p>GF-853</p> <p>AD DS SW33</p>  <p>Hope XC 4-piston w/ pin & spring</p> <p>40,5 × 23 × 4,4</p>
<p>GF-854</p> <p>AD DS SW33</p>  <p>Avid XO trail 4-piston</p> <p>37,7 × 24,3 × 3,9</p>	<p>GF-855</p> <p>AD DS SW33</p>  <p>Hope Mono X2</p> <p>26,65 × 31 × 3,9</p>
<p>GF-856</p> <p>AD DS SW33</p>  <p>Avid Road hydraulic</p> <p>A/B: 29,9 × 24,4 × 3,9</p>	<p>GF-857</p> <p>AD DS SW33</p>  <p>Hope Moto V4</p> <p>40 × 22,5 × 3,9</p>
<p>GF-858</p> <p>AD DS SW33</p>  <p>Tektro Dorado e-bike</p> <p>38,2 × 35,7 × 3,9</p>	<p>GF-859</p> <p>AD DS SW33</p>  <p>Magura MT5</p> <p>43,6 × 29,2 × 3,4</p>
<p>GF-860</p> <p>AD DS SW33</p>  <p>1 set = 4 pcs Magura MT7</p> <p>18,9 × 29,7 × 3,6</p>	<p>GF-861</p> <p>AD DS SW33</p>  <p>Shimano Direct-Mount R9170/ U5000/RS805/505/R405F/ R405R/RS305R/RS305F</p> <p>26 × 29,8 × 4,15</p>
<p>GF-862</p> <p>AD DS SW33</p>  <p>HOPE TECH 3 E4 / Stealth race E4 / Mono M4 / TECH M4</p> <p>36,9 × 26 × 4</p>	<p>GF-863</p> <p>AD DS SW33</p>  <p>Avid DB1 Hydraulic</p> <p>29,8 × 31,1 × 4</p>

It is commonly known fact that sintered brake pads have much longer life than organic materials brake pads. Sintered brake pads consist of baking plate with galvanized surface finish and braking compound with main proportion of copper additives.

GOLDfren brake pads are made in Europe, their quality is very high and their price is very good. GOLDfren brake pads are used as spare parts for the best MTB brands worldwide. They can be used for both racing and everyday use. They are the best choice.

We can also supply springs and pins on demand.

GOLDfren MTB brake pads have been manufactured since 2003 and selecting the right compound for your needs is very important.

GOLDfren offers three sintered compounds: AD, DS and SW33. Both are economical and suited for all brake discs.

Dimensions: width × height × thickness (mm)

GOLD fren®



SPACEK PRODUCT

Poběžovice 29, 534 01 Holice,
Czech Republic

Tel.: +420 466 682 065

Tel.: +420 466 009 452

Fax: +420 466 682 027

E-mail: goldfren@goldfren.com

Distributed by

www.goldfren.com